

Link do produktu: <https://www.illuminations.pl/d1-cx-dmx-512-d1-cx-1-kanalowy-dekoder-stalego-napięcia-dmx512-i-rdm-p-2628.html>



D1-CX DMX 512 D1-CX 1-kanalowy dekoder stałego napięcia DMX512 i RDM

Cena	199,00 zł
------	------------------

Dostępność	Dostępny
------------	-----------------

Czas wysyłki	14 dni
--------------	---------------

Numer katalogowy	2628
------------------	-------------

Producent	Mi.Light
-----------	-----------------

Opis produktu

Nazwa produktu: 1-kanalowy dekoder stałego napięcia DMX512 i RDM

Model nr: D1-CX

Napięcie wejściowe: DC12 ~ 24V

Prąd wyjściowy: 20A/kanal

Całkowity prąd wyjściowy: maks. 20A

Sygnał wejściowy: Dmx512, RDM

Zajmij 1 adres DMX

Temp. pracy: -20 ~ 60 °C

1-channel constant voltage DMX512 & RDM decoder

Support RDM function | Optional dimming curve | PWM frequency is optional
Multiple protection





Multi-protection for your easy use

- ☆ Automatically detect when power on
- ☆ Anti-reverse connection protection
- ☆ Short-circuit protection
- ☆ Over current protection and recover function


PWM frequency is optional

PWM high frequency (2000Hz) or
low frequency(500Hz) optional




2 Dimming curves optional


Logarithmic dimming



Linear dimming



Connection diagram



Attention:

1. If the decoder is over 32pcs, or using the super long signal cable, you need DMX signal amplifier. Amplify signal cannot be over 5 times.
2. If there is overshoot effect due to the long signal cable or low quality circuit, please connect 0.25W 90-120 terminal resistance at the end of each DMX signal cable.





Packing Details



