Dane aktualne na dzień: 29-03-2024 10:48

Link do produktu: https://www.illuminations.pl/dl1-dali-led-controller-p-2350.html




# DL1 - DALI LED Controller

| | |
|---|---|
| Cena | **92,25 zł** |
| Dostępność | **Dostępny** |
| Czas wysyłki | **14 dni** |
| Numer katalogowy | **2350** |
| Producent | **Mi.Light** |

## Opis produktu

Product Name: DALI LED Controller
Model No.: DL1
Input Voltage: DC12~24V
Output Current: Max 12A
Working Temperature: -20-60℃
Standard Protocol: IEC62386
Input Signal: DALI Dimming Signal/Push dimming
Dimming Range: 0~100%


DALI LED Controller
Support DALI dimming signal, and support DALI signal transmitting
to 0~10V signal, support Push dimming. Dimming softly, strong compatibility
Mi·Light®
DALI LED Controller
Model No.: DL1
Input Voltage: 12~24V
Signal Input: DALI or Push Dimming
Output1: MAX 12A
Output2: 0~10V
Working Temperature: -20~60℃
Made in China
POWER


Power Saving and Smart
Addressing each product via system programming, and make it with centralized control, individual control, group control and scene control; Controlled not only by PC, but also mobile terminal.
Mi·Light®
DALI LED Controller
Model No.: DL1
Input Voltage: 12~24V
Signal Input: DALI or Push Dimming
Output1: MAX 12A
Output2: 0~10V
Working Temperature: -20~60℃
Made in China
DA1
DA2
DA1
DA2
Dali bus
+
-
Push dimming
POWER
V-
V+
Output1 ( LED )
LED-
LED+
Output2 ( 0~10V)
V-
V+


# Full compatibility and more selections

Support DALI signal switching to 0~10V signal output. Support Push Dimming;
work with any standard DALI protocol devices on the one bus control.

## 01 Support DALI dimming signal



## 02 Support DALI signal switching to 0~10V signal output







1. DALI Signal Terminal

2. Push Dimming connection terminal







# DALI Wiring Diagram




# Support DALI signal transmitting to 0~10V Control, Wiring diagram as below:




# Push Dimming Wiring Diagram




Mi·Light
DALI LED Controller
119mm
47mm
23mm