

Link do produktu: <https://www.illuminations.pl/futc02-naswietlacz-halogen-led-miboxer-9w-rgbccct-lampa-ogrodowa-led-p-1989.html>



FUTC02 Naświetlacz / Halogen LED MiBoxer - 9W RGB+CCT Lampa ogrodowa LED

Cena	215,25 zł
Dostępność	Dostępny
Czas wysyłki	14 dni
Numer katalogowy	1989
Producent	Mi.Light

Opis produktu

Wielofunkcyjne urządzenie pełniące rolę kontrolera, pozwala ona na sterowanie oświetleniem przez Wi-Fi w Twoim domu za pomocą urządzeń pracujących pod systemem Android lub IOS.

Router MI LIGHT umożliwia podłączenie się do Twojej sieci domowej dzięki czemu nie będziesz musiał już nigdy więcej przełączać się między sieciami bezprzewodowymi. Router MILIGHT umożliwi Ci także sterowanie światłem nawet wtedy kiedy jesteś poza domem.

Router Wi-Fi może być zastosowany do obsługi wszystkich urządzeń inteligentnego oświetlenia 2.4G: żarówek RGB, RGBW, ściemnianego oświetlenia itd. Tym prostym urządzeniem możesz kontrolować swoje oświetlenie przy użyciu smartphona opartym na systemie iOS lub systemie Android, używając nowej darmowej aplikacji dostępnej na AppStore lub Google Play (MI.LIGHT).

Nazwa produktu: Lampa ogrodowa LED 9 W RGB + CCT

Nr modelu: FUTC02

Moc: 9W

Napięcie wejściowe: AC86~265V / 50~60Hz

Temperatura barwowa: 2700 K ~ 6500 K

Strumień świetlny: 700 lm

Wydajność świetlna: 80LM/W

CRI: >80

PF: >0,5

Żywotność: 50000 godzin

Kąt świecenia: 15°

Odległość oświetlenia: >10m

Stopień ochrony IP: IP65

Materiał: aluminium

Obszary zastosowań: ogród, drzwi, garaże

RGB+CCT Smart LED Garden Lamp

2.4GHz wireless remote control, 30M control distance,
16 million colors to change. Adjust color temperature, brightness
and saturation; IP65 waterproof and dustproof rate.



Smart lifestyle with beauty

2.4GHz remote control, 16 million color change
CCT, brightness, saturation adjustable
Make smart lighting atmosphere
meet all your requirement




Remote& Smartphone APP control

Use wireless remote or Smartphone APP


Realize personal function setting, experience smart home life

• Need iBox1 or iBox2 for Smartphone APP control



Symmetrical and centralized light ray

Beam Angle 15° Irradiation distance 10M



Waterproof and
Dustproof rate: IP65




Auto-transmitting Diagram

One Garden Light can transmit the signals from the remote control to another Garden Light within 30m, as long as there is a Garden Light within 30m, the remote control distance can be limitless.


Auto-synchronization function

Different Garden Light can work synchronously when they are started at different times, controlled by the same remote, under same dynamic mode and with same speed.



High Efficient LED Chips

Adopt Philips LED Chips
CRI>80, highly object colors restore
Better heat dissipation and longer lifespan



Optical Lens

Anti-dazzling optical lens; diverging
light scientifically. Symmetrical and
bright light ray



High efficiency heat dissipation

Integrative Aluminum design; Inserted
thermal conduction, with thermal
convection in air movement, Protect
light source lifespan




Power cable nut

Adopt stainless steel materials
waterproof and dustproof
Never Rusting




Anticorrosion inserted pole


High quality Aluminum, longer and more thick,
strong anticorrosion




Part of application area



Road landscape lighting



Greenbelt landscape lighting




Plazza, park landscape lighting



Plant landscape lighting

Installation Diagram




Compatible with below remote controller




FUT089



FUT092



B8



B4 / T4