

Link do produktu: <https://www.illuminations.pl/futt08-naswietlacz-halogen-led-miboxer-200w-rgbcct-led-p-2657.html>

FUTT08 Naświetlacz / halogen LED MiBoxer - 200W RGB+CCT LED

Cena	2 390,00 zł
Dostępność	Dostępny
Czas wysyłki	14 dni
Numer katalogowy	2657
Producent	Mi.Light

Opis produktu

Nazwa produktu: Reflektor LED 200 W RGB + CCT

Nr modelu: FUTT08

Moc: 200W

Napięcie wejściowe: AC100 ~ 240V 50/60Hz

Temperatura pracy: -20-45°C

Temperatura barwowa: 2700 K ~ 6500 K

Strumień świetlny: 17000 lm

Wydajność świetlna: 85LM/W

Zużycie energii w trybie gotowości: 0,96 W

CRI: >80

PF: >0,95

Żywotność: 50000 godzin

Kąt świecenia: 160°

Stopień ochrony IP: IP65


Częstotliwość radiowa: 2,4 GHz

Moc nadawania: 6dBm

Odległość kontrolna: 30m

IP65 Waterproof

Professional waterproof technology,
high performance waterproof



Brightness dimming

0.1% brightness dimming precision, make the light more soft
and smooth, give the light you want



200W RGB+CCT LED Floodlight

2.4GHz Remote control & APP control, Support Third Party Voice Control



16 million
colors to change



Color temperature
2700~6500K



Dimmable &
Saturation control



Signal transmitting &
Modes synchronization



2.4GHz Remote control Smart phone APP control

2.4GHz remote control, Smart phone APP control, enjoy the convenient life bring by technology.
(* Need 2.4GHz Gateway(WL-Box1) for smartphone APP control)



Compatible with



Support Third Party Voice Control

It need 2.4GHz gateway(WL-Box1) for third party voice control



16 Million colors / Saturation control



Adjust warm white to cool white randomly

Adjust the cool temperature from 2700~6500K, make the light you want




Signal transmitting

One lighting fixture can transmit the signals from the remote control to another lighting fixture within 30m, as long as there is a lighting fixture within 30m, the remote control distance can be limitless.

Modes synchronization

Different lighting fixture can work synchronously when they are started at different times, controlled by the same remote, under same dynamic mode and within 30m distance.





High lumen LED Chips

Low power consumption
and luminance decrease;
Bright color and high brightness

High efficiency heat dissipation

Integrative Aluminum design; Inserted
thermal conduction, Protect light
source lifespan



Waterproof plug

Copper nickel plating material
Waterproof and dustproof, never rusting

