

Link do produktu: <https://www.illuminations.pl/ls2-wp-kontroler-tasm-led-universalny-rgbcctrgbwrgbcctmono-p-2659.html>

LS2-WP Kontroler taśm led uniwersalny RGB+CCT/RGBW/RGB/CCT/MONO

Cena	239,00 zł
Dostępność	Dostępność - 3 dni
Czas wysyłki	14 dni
Numer katalogowy	2659
Producent	Mi.Light

Opis produktu

Nazwa produktu: Wodoodporny kontroler LED 5 w 1

Nr modelu: LS2-WP

Napięcie wejściowe: DC12V ~ 36V

Wyjście: 6A/kanal

Całkowita moc wyjściowa maks.: 20A

Połączenie: wspólna anoda

Częstotliwość radiowa: 2,4 GHz

Odległość zdalnego sterowania: 30m

Temperatura pracy: -20 ~ 45 °C

Stopień ochrony IP: IP67

Waterproof 5-in-1 LED Controller

2.4GHz remote control | Support third-party voice control

With anti-reverse short circuit protection

DC12V~36V wide voltage



16 million colors



Color temperature




Dimmable
Saturation



Signal transmitting &
Modes synchronization



IP Rate



5 output mode selection

SET key switch mode


Brightness mode

Color temperature mode

RGB mode

RGBW mode

RBG+CCT mode



IP67 waterproof rating

Waterproof design, eliminates potential safety hazards and makes use safer



16 million colors | Saturation adjustment

Easily create the lighting atmosphere you want to meet the needs of different scenarios



Brightness adjustment

Adjust the brightness of the LED light through the remote control



Adjust warm white to cool white randomly

Adjust the color temperature from 2700K-6500K, make the light you want



2700K
incandescent light



3400K
Studio track light



5500K
Midday sun light



6500K
Fluorescent light



2.4GHz remote control

The 2.4GHz remote control can be used to control the lamps
and the control distance is up to 30m

Compatible with



FUT089



FUT088



FUT092



FUT096



B8



B4/T4



B3/T3



B0



WL-Box1



Support Smart phone APP control and third party voice control

It need 2.4GHz gateway(WL-Box1) for smart phone control or third party voice control



Signal transmitting

One controller can transmit the signals from the remote control to another controller within 30m, as long as there is a controller within 30m, the remote control distance can be limitless.

Modes synchronization

Different controller can work synchronously when they are started at different times, controlled by the same remote, under same dynamic mode and within 30m distance.



Distance 30m



Signal transmitting &
Modes synchronization



Distance 30m



Signal transmitting &
Modes synchronization




Distance 30m



...

Power Input Brown: V+ Blue: V-

Input Voltage: DC12V~36V



Output Mode (LED Wiring)						
Mode \ Wire	Black	Red	Green	Blue	White	Yellow
Single Color	V+	W	W	W	W	W
Dual White	V+	CW	CW	WW	WW	
RGB	V+	R	G	B		
RGBW	V+	R	G	B	W	
RGB+CCT	V+	R	G	B	CW	WW

Output mode

