

Link do produktu: <https://www.illuminations.pl/pl5-milight-40w-rgbccct-panel-light-driver-p-2325.html>

PL5 - MILIGHT - 40W RGB+CCT Panel Light Driver

Cena	135,30 zł
Dostępność	Dostępny
Czas wysyłki	14 dni
Numer katalogowy	2325
Producent	Mi.Light

Opis produktu

Product Name: 40W RGB+CCT Panel Light Driver
Model No.: PL5
Input Voltage: AC180~240V 50/60Hz
Output Voltage: DC30-40V
Output Current (Constant Current): 1A
Output Power (Max): 40W
PF: >0.9
Controllable Channel: 5 Channels
Remote Control Distance: 30m
ta: 50°C
tc: 85°C

40W RGB+CCT Panel Light Driver

2.4G RF remote control | smartphone APP control



16 Millions
of colors to choose



Color temperature
2700~6500K



Dimmable
Saturation control



Auto-synchronization
Auto-transmitting function

Easy installation

Input AC180~240V, easy installation and operation

AC180~240V
Input Voltage

DC30-40V
Output Voltage



Colorful lights to change

16 Millions of colors to choose, Color temperature, brightness and saturation adjustable randomly

16 Millions of
colors to choose

Color temperature
2700~6500K

Dimmable
Saturation control



2.4GHz remote control Smartphone APP control

Wireless remote and smartphone control, realize the multi-functional setting
(*Need WiFi iBox or WiFi Remote for smartphone App control)



Compatible with



FUT089



FUT088



FUT092



B8




B4/T4



B0

Auto-transmitting function

One panel light driver can transmit the signals from the remote control to another panel light driver within 30m, as long as there is a panel light driver within 30m, the remote control distance can be limitless.




Auto-synchronization function

Different panel light driver can work synchronously when they are started at different times, controlled by the same remote, under same dynamic mode and with same speed, and within 30m distance.



Installation Diagram





Galvanization shell

