Dane aktualne na dzień: 28-03-2024 10:39

Link do produktu: https://www.illuminations.pl/sys-pt2-milight-1-kanalowy-wzmacniacz-sygnalu-magistrali-box-p-2313.html



SYS-PT2 - MILIGHT - 1-kanałowy wzmacniacz sygnału magistrali BOX

Cena	**1 435,00 zł**
Dostępność	**Dostępny**
Czas wysyłki	**14 dni**
Numer katalogowy	**2313**
Producent	**Mi.Light**

Opis produktu

Product Name: 1-Channel Amplifier Box
Model No.: SYS-PT2
Input: AC100~240V 50/60Hz
Output Voltage: DC24V
Output Current: Max 8.5A
Output Power: Max 200W
IP Rate: IP66


1-Channel Amplifier Box
Amplify the power and signal of "1-Channel Host Control Box"
to synchronously control more lamps
AC100~240V
Input Voltage
DC24V
Output Voltage
IP66
IP Rate
Mi·Light
1-Channel Amplifier Box
IP66


Easy installation
Input AC100-240V, easy installation and operation
AC100~240V
Input Voltage
DC24V
Output Voltage
Mi·Light
1-Channel Amplifier Box
Output Voltage: DC24V
Connect SYS series lighting
Input Voltage: AC100~240V


Working on the amplifying the power and signal of “1-Channel Host Control Box”
Amplify the power and signal of 1-Channel Host Control Box;
When adding one more Amplifier Box, you can connect and control double lamps
Mi·Light
1-Channel Amplifier Box


Outdoor Using and Waterproof
Waterproof rate is IP66
Working normally at outdoor using in raining days

High quality stainless steel


Sun protection, corrosion resistance,
wind and rain protection, Fast heat dissipation




Mi-Light
1-Channel Amplifier Box
IP66
DATA INPUT
Indicator Light
OUTPUT:
DC24V 8.5A
Protective Vents
INPUT:
AC100~240V

Connection Diagram

SYS-PT1 1-Channel Host Control Box (Need to buy separately)



Note:

1. All connected lights to "SYS-PT1 control box' cannot be over 200W, otherwise, it will damage the control box.
2. The wiring method, please see details for the SYS series instructions.

